

MORE BONANZA GOLD ZONES AT MASE PROJECT

XDM Resources Inc. (“XDM” or the “Company”) is pleased to announce that results from recent trench sampling at the Mase Project continue to show bonanza gold grades across a number of mineralised zones.

A summary of the recent trench highlights are as follows:

Trench 21	11 metres @ 0.21 g/t gold
Trench 22	33 metres @ 0.24 g/t gold (open both ends)
Trench 24	1 metres @ 10.55 g/t gold
Trench 25	8 metres @ 0.37 g/t gold
Trench 29	19 metres @ 2.34 g/t gold, including 1 metre @ 35.5 g/t gold
Trench 33	14 metres @ 0.33 g/t gold 6 metres @ 0.33 g/t gold 12 metres @ 0.15 g/t gold
Trench 36	8 metres @ 0.84 g/t gold

The Chief Executive Officer, Mr. Mark Haywood stated that *“the Mase Project continues to grow from strength to strength with this project clearly now ready for drilling to test bonanza grade gold zones identified on surface to date. It is a rare opportunity to find a mineralised system of this scale with almost nil previous drilling together with untested high priority geophysical, geological, and geochemical targets.”*

Trench sampling to date confirms gold (+/- copper) mineralisation associated with both arc normal and arc parallel structures in the base of the Mase Caldera. Field mapping and trench sampling data confirms the mineralised system extend on an area of 1.5km².

New geophysical data (gradient array IP and airborne magnetic data) also highlight that the hydrothermal system may extend over an area of greater than 4km². Gold-copper mineralisation within the system appears associated with a porphyry style mineralising event with high grade (bonanza) gold mineralised veins associated with a late stage epithermal overprint.

Results to date highlight a number of target zones including;

- Mase Arc Normal Structure: Target zone >2km strike by 500m wide.
- Tatalise Arc Parallel Structure: Target zone >1km strike by 100m wide.



Current planned field work will follow-up on new geophysical targets including detailed geological mapping of the project area.

The Company supervises sampling under a Quality Assurance and Quality Control (“QA/QC”) procedure following National Instrument 43-101 (“NI 43-101”) guidelines. Samples are processed at the Company’s sample preparation laboratory in Honiara then assayed by Australian Laboratories Services (“ALS”) in Australia.

ABOUT XDM

XDM is a private Canadian company with a 100% interest in four large copper-gold and gold exploration properties in the Western Province of the Solomon Islands.

For further information on XDM, please contact:

Mark Haywood, BE (Mining) Hons, LLB
Frans Blom, CA, CPA, CIA
Telephone:
Corporate Office:

President and CEO
Company Secretary and CFO
(+1) 416 933 6373
Suite 3101, 401 Bay Street, Toronto,
Ontario, Canada, M5H 2Y4.

Email:

info@xdmresources.com

Web site:

www.xdmresources.com

Cautionary Statement Regarding Forward-Looking Information

All statements, trend analysis and other information contained in this press release relative to markets for XDM’s trends in resources, recoveries, production and anticipated expense levels, as well as other statements about anticipated future events or results constitute forward-looking statements. Forward-looking statements are often, but not always, identified by the use of words such as “seek”, “anticipate”, “believe”, “plan”, “estimate”, “expect” and “intend” and statements that an event or result “may”, “will”, “should”, “could” or “might” occur or be achieved and other similar expressions. Forward-looking statements are subject to business and economic risks and uncertainties and other factors that could cause actual results of operations to differ materially from those contained in the forward-looking statements. Forward-looking statements are based on estimates and opinions of management at the date the statements are made. Some of these risks, uncertainties and other factors are described under the heading “Risk Factors” in the Company’s annual information. XDM does not undertake any obligation to update forward-looking statements even if circumstances or management’s estimates or opinions should change other than as required by applicable law. Investors should not place undue reliance on forward-looking statements.

All scientific and technical information contained in this news release has been prepared under the supervision of Anthony Schreck, the Company’s Chief Geoscientist and Qualified Person. Anthony Schreck has verified the technical data disclosed for accuracy and correctness. Potential quantity and grade is conceptual in nature. There has been insufficient exploration to define a mineral resource on any of the Company’s properties and it is uncertain if further exploration will result in any such target being delineated as a mineral resource. QA/QC procedures were applied during the execution of the work being reported upon.

APPENDIX

Mase Project – Trench Results Summary					
Prospect	Trench ID	Number of Samples in Composite	Significant Mineralisation¹	Min / Max Assays Results Au g/t	Min / Max Assays Results Cu %
Mase	MSTC21	1	1m @ 0.13 g/t Au	0.12 / 0.26	0.03 / 0.20 0.10 / 0.35
		4	4m @ 0.16 g/t Au and 0.1% Cu		
		6	6m @ 0.19% Cu		
		11	11m @ 0.21 g/t Au (open)	0.10 / 0.48	
Mase	MSTC22	32	33m @ 0.24 g/t Au (open both ends)	0.08 / 0.53	0.10 / 0.43
		9	Incl. 9m @ 0.18% Cu		
Mase	MSTC23		No significant results		
Mase	MSTC24	2	4m @ 0.19 g/t Au	0.19 / 0.19	
		2	2m @ 0.18 g/t Au	0.18 / 0.19	
		1	1m @ 10.55 g/t Au		
Mase	MSTC25	6	6m @ 0.18 g/t Au	0.14/0.20	
		8	8m @ 0.37 g/t Au	0.06/2.11	
		3	3m @ 0.13 g/t Au		
Mase	MSTC26		No significant results		
Mase	MSTC27	2	2m @ 0.12 g/t Au	0.11/0.13	
Mase	MSTC28		No significant results		
Mase	MSTC29	19	19m @ 2.34 g/t Au (open both ends)	0.05/35.5	
		1	Incl. 1m @ 35.5 g/t Au		
Mase	MSTC30	1	1m @ 0.10 g/t Au		
		1	1m @ 0.15 g/t Au		
		1	1m @ 0.11 g/t Au		
Mase	MSTC31		No significant results		
Mase	MSTC32		No significant results		
Mase	MSTC33	11	14m @ 0.33g/t Au	0.05/0.95	
		6	6m @ 0.33 g/t Au	0.11/0.50	
		12	12m @ 0.15 g/t Au	0.11/1.52	
Mase	MSTC34		No significant results		
Mase	MSTC35	4	6m @ 0.16 g/t Au	0.03/0.27	
		2	2m @ 0.32 g/t Au	0.15/0.49	
Mase	MSTC36	8	8m @ 0.84 g/t Au	0.23/3.89	
Mase	MSTC37	1	1m @ 0.26 g/t Au		

¹Notes on intersection composite calculations

- 0.1 g/t Au cut-off grade.
- Cu grade reported if grade composite is >0.10% Cu.
- Maximum width of 1m of internal dilution in intersection composite of material <0.1 g/t Au.
- Minimum reporting width is 0.5m.